

Giving homes the roof they deserve.

Caspar
White
Quarter

Colorbond®
Ironstone®

Otto's Boy



Dulux®

AcraTex®

Dulux Acratex® Roof Restoration System

A roof provides more than just shelter. It is an extension of a home and should be given the same love and care to match the inside's look and feel. That's where we come in.

Dulux Acratex's Roof Restoration System is an opportunity to refresh, revitalise and transform a roof to not only reflect a person's home, but their personal style too.

Backed by the most trusted paints brand in Australia¹, we provide a full restoration system.

To reinforce Dulux Acratex's quality, we offer a 15 year warranty on product performance covering aspects like film integrity, peeling and cracking as well.² Let us increase your street appeal and allow you to give homeowners the roof they deserve.



THE FULL ROOF RESTORATION PROCESS

The Dulux Acratex Roof Membrane coating system is a full restoration process installed by Dulux Acratex Approved Roofing Applicators that gives customers a 15 year material warranty².

TILED ROOF	METAL ROOF
<p>1. INSPECTION</p> <p>The entire roof is inspected for damaged tiles, loose or missing bedding, moss and lichen.</p>	<p>1. INSPECTION</p> <p>The entire roof is inspected for damage and preparation requirements.</p>
<p>2. CLEAN</p> <p>The roof is high pressure washed with water directed away in an environmentally friendly manner using lay-flat hosing as required.</p>	<p>2. CLEAN</p> <p>The roof is high pressure washed with water directed away in an environmentally friendly manner using lay-flat hosing as required.</p>
<p>3. REPAIR</p> <p>Damaged tiles and faulty valley irons are replaced where required.</p> <p>Ridge capping is re-bedded, where required.</p>	<p>3. REPAIR</p> <p>All rusted and damaged roof screws, fittings, faulty sheets and valley irons are replaced as required.</p>
<p>4. POINTING</p> <p>Use Acratex Roof Pointing where required.</p> <p>Note: There is also the option to complete these step following the application of Roof Membrane.</p>	<p>4. STERILISE</p> <p>Fungal and algal spoilage must be treated before recoating. Acratex PrepTreat is applied after cleaning to sterilise the surface. This step may not be required in all cases.</p>
<p>5. STERILISE</p> <p>Fungal and algal spoilage must be treated before recoating. Acratex PrepTreat is applied after cleaning to sterilise the surface. This step may not be required in all cases.</p>	<p>5. PRIMER/SEALER</p> <p>Specialist corrosion control primers are installed where required. System options for Galvanised, Zinalume® or pre-coated metal.</p>
<p>6. PRIMER/SEALER</p> <p>The entire roof area is sealed to ensure strong adhesion with the Roof Membrane coating.</p> <p>A range of specialty primers are designed to work in system to suit specific conditions.</p>	<p>6. ROOF MEMBRANE</p> <p>Two coat application of the improved Acratex Roof Membrane formula provides an easy application that's perfect for metal roofs.</p>
<p>7. ROOF MEMBRANE</p> <p>Two coat application of the improved Acratex Roof Membrane formula provides an easy application that's perfect for tiled roofs.</p>	

¹As voted by Australians in the 2021 Readers Digest Most Trusted Survey.

²A 15 year material warranty is issued on product performance when the Dulux Acratex Roof Membrane coating system has been applied by a Dulux Acratex Approved Roofing Applicator. System warranties cover film integrity, peeling and cracking. Refer to website acratex.com.au or call Acratex customer service on 13 23 77 for terms and conditions.



GREYS

Taking inspiration from earthy stone hues can help your home blend in with the local surroundings. With a wide variety of shades, create a classic look that will stand the test of time.

			
Colorbond® Monument® TSR: 9%	Dark Grey TSR: 9%	Light Grey TSR: 33%	Colorbond® Basalt TSR: 12%
			
Colorbond® Woodland Grey® TSR: 12%	Mid Grey TSR: 22%	Twilight Shadow TSR: 8%	Colorbond® Shale Grey™ TSR: 21%
			
Cool Grey TSR: 67%	Charcoal TSR: 7%	Colorbond® Night Sky® TSR: 4%	Colorbond® Windspray® TSR: 22%



NATURALS

Nature's tones can really create a timeless appeal and darker hues can modernise the look. Whether you want your home to stand out or blend in, we have a colour to suit your needs.



Colorbond® Paperbark® TSR: 48%



Colorbond® Ironstone® TSR: 11%



Colorbond® Classic Cream™ TSR: 66%



Colorbond® Jasper® TSR: 26%



Colorbond® Surfmist® TSR: 64%



Colorbond® Dune® TSR: 41%



Colorbond® Wallaby® TSR: 15%



REDS

Traditional red roofing is an Australian iconic element. To create a traditional feel you can't go past these familiar earthy reds and terracottas for a timeless appeal. There are so many options when creating a colour scheme with a red roof. As these colours are earthy you can use natural greys, greiges, greens and stone colours.




Terracotta TSR: 42%




Dark Terracotta TSR: 38%




Tuscan Red TSR: 34%



Clay Brick TSR: 33%



Heritage Red TSR: 35%



Colorbond® Manor Red® TSR: 33%

GREENS

As greens are drawn from natural surroundings, they are a perfect colour to use on the exterior of homes. Greens range from light grey green shades to darker olive tones. Greens are so versatile and work well with so many colours due to their earthy and muted undertones. Greens can provide an organic setting for a roof to camouflage in nature's bush canopy.



Colorbond® Cottage Green® TSR: 27%



Colorbond® Pale Eucalypt® TSR: 22%



Brunswick Green TSR: 9%



Caulfield Green TSR: 13%

DULUX® ACRATEX® ROOF MEMBRANE

NEW and improved formula helps deliver excellent colour durability for long life protection.




Roof Membrane

Dulux Acratex Roof Membrane has been improved with HueTech technology to offer superior UV and excellent colour fade resistance, allowing the colour to stay truer for longer[^]. With improved application and colour benefits, the full range is suitable for collection of drinking water and now available with a 15 year warranty.* Range available in popular Dulux and Colorbond® colours for better looking and longer lasting protection.



Leading technology

Dulux Acratex Roof Membrane is based on HueTech technology which is a full acrylic elastomeric technology that provides coatings the flexibility and resistance to withstand the harsh Australian Sun. Coatings are weather tight and designed to provide excellent UV and colour durability.



Under the harsh Australian Sun, using the new Dulux Acratex Roof Membrane, the colour stays truer for longer[^].

[^] Compared to the previous Dulux Acratex Roof Membrane. *A 15 year material warranty is issued on product performance when the Dulux Acratex Roof Membrane coating system has been applied by a Dulux Acratex Approved Roofing Applicator. System warranties cover film integrity, peeling and cracking. Refer to website acratex.com.au or call Acratex customer service on 13 23 77 for terms and conditions.

DULUX ACRATEX ROOF POINTING



Dulux Acratex now has a full roof system. Introducing our new range extension – Dulux Acratex Roof Pointing – a water based, flexible, ready to use pointing mortar. Available in a wide range of colours to suit both new and renovated roofs.

Product features include:

- Ready to use and smooth in application
- Solution to ridgecaps
- Flexes with movement in the roof structure
- Water resistant after 2 hours
- Touch Dry 30 mins

COMPLETE COLOUR RANGE



For more information visit our products page at duluxroofing.com.au

©Dulux and Acratex are registered trade marks of DuluxGroup (Australia) Pty Ltd. Colours shown are as close as possible to actual colours and finishes can vary depending on the application. Due to limitations of your display screen and the printing process, photographic and printed images and swatches may not represent the true colour. Refer to actual samples for exact colour finish.



Silver Tea Set

Colorbond®
Night Sky®

HEAD TO OUR WEBSITE [ACRATEX.COM.AU](https://www.acratex.com.au)

Our Help & Advice team is available to assist with any Roofing
or general queries.



Phone: 13 25 25



Live Chat

Available 7 days on the
Dulux website [DULUX.COM.AU](https://www.dulux.com.au)



Colours shown are as close as possible to actual colours and finishes can vary depending on the application. Due to limitations of your display screen and the printing process, photographic and printed images and swatches may not represent the true colour. Refer to actual samples for exact colour and finish. Dulux Acratex, 1 Jeanes Street, Beverley SA 5009. Dulux Acratex is a division of DuluxGroup (Australia) Pty Ltd. ABN 67 000 049 427. Dulux, Acratex and the Dulux Sheepdog are registered trade marks of DuluxGroup (Australia) Pty Ltd. HueTech is a trade mark of DuluxGroup (Australia) Pty Ltd. Colorbond and the Colorbond colours are registered trade marks of BlueScope Steel Limited.